United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	LICATION NO. FILING DATE		FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/718,855	11/20/2003		Thomas R. A. Bussing	EH-10957 (03-427)	1915
34704	7590 03/13/2006			EXAMINER	
BACHMAN & LAPOINTE, P.C. 900 CHAPEL STREET				CHAMBERS, TROY	
SUITE 1201				ART UNIT	PAPER NUMBER
NEW HAVEN, CT 06510				3641	

DATE MAILED: 03/13/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Application/Control Number: 10/718,855 Page 2

Art Unit: 3641

DETAILED ACTION

Response to Amendment

- 1. The reply filed on 01/11/06 is not fully responsive to the prior Office Action because of the following omission(s) or matter(s): Applicant does not provide reasons for the allowability of claim 23. See 37 CFR 1.111. Since the above-mentioned reply appears to be *bona fide*, applicant is given **ONE (1) MONTH or THIRTY (30) DAYS** from the mailing date of this notice, whichever is longer, within which to supply the omission or correction in order to avoid abandonment. EXTENSIONS OF THIS TIME PERIOD MAY BE GRANTED UNDER 37 CFR 1.136(a).
- 2. Applicant was given a complete examination of the claims which included the introducing of a pressurized purge gas to the conduit. New claims 20 and 23 no longer require these limitations so it is not clear if those claims are patentable. The applicant should expect a restriction requirement in response to applicant's future submission to the Patent Office.

Conclusion

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Troy Chambers whose telephone number is (571) 272-6874 between the hours of 7:00 a.m. to 3:30 p.m., M-F. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael J. Carone, can be reached at (571) 272-6873.

Art Unit: 3641

Troy Chambers
Primary Examiner Art Unit 3641

TC

08 March 2006